THE GEORGE WASHINGTON UNIVERSITY

WASHINGTON, DC

HTML/CSS Lab

CSCI 2541 Database Systems & Team Projects

Teaching Assistants

HTML/CSS Lab Time!

(Break first?)

General Format and Expectations

- Hands on practical experience on the techniques described in lecture.
 - Usually intro slides, guided coding, then a group lab activity
- Lab exercises are generally due 24 hours after lab
 - Extra time this week since you are figuring things out
- Queries and code submitted are expected to work. If it doesn't run you will not get credit.

HTML & CSS

Hypertext

Hypertext

A document containing links to other locations or content in a page

Markup Language

Markup Language

A human readable language system that uses tags to write and format the elements in a document.

HTML = Hypertext + Markup Language

A language that uses tags and attributes to define the content (Links, Text, and images) of a webpage.

What does HTML actually do?

- Invented in 1989 as a way to create web pages for the internet.
- Uses HTML tags and attributes to define documents.
- Tags are used to create elements on a page and are signified by an opening tag <> and a closing tag </>>.
 - Hello this is my paragraph
- Attributes are used to describe the characteristics of an HTML element in greater detail.
 - Hello this is my paragraph.



A basic html webpage

```
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<br/>body>
<h1>My First Heading</h1>
My first paragraph.
</body>
</html>
```

My First Heading

My first paragraph.

But wait, how do we make it look good?

CSS: Cascading Style Sheets

CSS: Cascading Style Sheets

- CSS is the language of design.
- It's what controls the color, textures, and layout of a web page
- Use it to control how elements are displayed on a page both in location and in how they look.

The old, awful way

```
<!DOCTYPE html>
                                   My First Heading
<html>
<head>
                                   My first paragraph.
<title>Page Title</title>
</head>
<br/>body>
<h1><font color="red">My First Heading</font></h1>
<font color="red">My first paragraph.</font>
</body>
</html>
```

Abstraction: The Key Concept of CS

- Abstraction allows us to separate out components so they aren't tightly tied to each other
 - Java Virtual Machine separates code from underlying HW so you can run same program on any machine
 - DBMS separates physical implementation of data storage/indexing from the logical schema/query interface
 - HTML and CSS separates content and style
- Why is this so powerful and useful???

Separating Style from Content

```
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
k rel="stylesheet" type="text/css" href="styles.css" >
</head>
<br/>body>
<h1>My First Heading</h1>
My first paragraph.
</body>
</html>
```

Styling an html page

```
body{
 background-color: Grey;
 font-size: large;
 color: red;
p{
 background-color: lightgrey;
```

```
selector{
  property: prop-value; <— Declaration
}</pre>
```

Styling an html page

```
body{

background-color: grey;

font-size: large;

color: red;
}
```

background-color: lightgrey;

p{

```
My First Heading
  My first paragraph.
```

Classes vs ID's

- You can specify CSS styling based on tags, classes, and ids.
- Add an id to a tag if you want to be able to style that specific element only:
 - only_this_one">
- Add a class to a tag if you want to style multiple elements on a page:
 - o

Classes vs ID's

- You can specify CSS styling based on tags, classes, and ids.
- Add an id to a tag if you want to be able to style that specific element only:
 - only_this_one">
- Add a class to a tag if you want to style multiple elements on a page:
 - o

Use id's to style a specific element that appears only once and classes to style elements that appear repeatedly.

Styling Classes and Id's

```
p{
  background-color: lightgrey;
 font-size: medium;
  color: blue;
  padding: 20pt;
#style_only_this_one{
```

liahtarove

CSS Inheritance

- CSS is called cascading because of inheritance.
- When multiple rules conflict with each other, styles cascade downwards thus applying only the last rule.

```
h1{
    color: red;
}
    What color will h1
    elements be on the
    page?

color: blue;
}
```

CSS Inheritance

- CSS is called cascading because of inheritance.
- When multiple rules conflict with each other, styles cascade downwards thus applying only the last rule.

```
h1{
  color: red;
}

h1{
  color: blue;
}
```

Because of inheritance only the last rule is applied. The heading is blue.

CSS Specificity

- CSS rules with more specific selectors override CSS rules with less specific selectors regardless of order.
- The rules of specificity are as follows:
 - The least specific is an element tag:
 - Using a class will override an element tag style:
 .myHeader
 - Using an id will override both a class and an element tag style: #myTitle
 - Using an in-line style on a tag will override anything else (generally should avoid this since it breaks abstraction)

Lab Activities

- Pre-Lab1 Hello World Wide Web: basics of HTML tags, nesting, validation and DOM
 - not graded, due today for participation point
- Lab1 Practice Student Roster: try to make a page with a list of student names
 - not graded, see what you can figure out!
- Lab1 Practice Lots of Tags: walk through of most common HTML tags and CSS
 - not graded, follow along as we discuss
- Lab1 Student Bios: work in a small group to make a website with CSS styling
 - Graded (see webpage)
- HW1 Python Training & Exercises: work on your own to learn the basic syntax of python
 - Graded (see webpage)

Attributions

These slides are adapted from materials made by Prof. Bhagi Narahari

Image attribution:

